



3218 Commander Dr. #100
Carrollton, TX, 75006, US
DEA Number: FEI #: 3027255510

Sample: CA41002002-001
Harvest/Lot ID: OPRAQ424
Batch#: 0514
Batch Date: 10/01/24
Sample Size Received: 20 gram
Retail Product Size: 100 gram
Ordered: 10/01/24
Sampled: 10/01/24
Completed: 10/04/24

Certificate of Analysis

Oct 04, 2024 | TCF Marketing
12011 Starcrest Dr
San Antonio, TX, 78247, US



PASSED

Page 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Potency

PASSED



Total THC
0.1152%



Total Cannabinoids
0.1152%

	CBDVA	CBDV	CBDA	CBD	CBGA	CBG	CBN	CBC	THCA	D9-THC	THCV	D8-THC
%	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.1152	ND	ND
mg/g	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.152	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%	%

Testing was completed at a reference facility with DEA Number:
RP0607436 ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Ray Collins
Lab Director

State License # NA
ISO Accreditation # L22-753

Signature

10/04/24

Signed On